











**dahua** IP  
TECHNOLOGY

مدل	مشخصات فنی	تصویر کالا
DH-IPC-HFW2431TP-ZS-	<p>4MP WDR IR Bullet Network Camera            * 1/3" 4Megapixel progressive CMOS            * H.265 &amp; H.264 dual-stream encoding            * 20fps@4M(2688×1520)&amp;25/30fps@3M(2304×1296)            * WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC            * Multiple network monitoring: Web viewer, CMS(DSS/PSS) &amp; DMSS            * Micro SD card slot, up to 128GB            * 2.7~13.5mm varifocal lens            * Max IR LEDs Length 60m            * IP67, IK10(optional),            * PoE+            *Casing Metal</p>	
DH-IPC-HDW2439TP-AS-	<p>* 4MP            * 1/3" CMOS image sensor            *Outputs 4MP (2560 × 1440) @ 25/30 fps,            *Max. supports 4MP (2688 × 1520) @ 20 fps            * H.265 codec            * Built-in warm lights max            *illumination distance: 30 m            * IP67 protection            * 12V DC/PoE power supply            *WDR 120 Db            *Minimum Illumination 0.004 Lux@F1.0...            *Casing :Inner core: metal; cover: plastic ( pedestal: plastic )            * Supports max. 256 GB Micro SD card and built-in Mic</p>	
DH-IPC-HFW2439SP-SA-	<p>* 4MP, 1/3" CMOS image sensor            * Outputs 4MP (2560 × 1440) @ 25/30 fps            * Max. supports 4MP (2688 × 1520) @ 20 fps            * H.265 codec            *Built-in warm lights            * IP67 protection            * 12V DC/PoE power supply            *WDR 120 Db-Minimum Illumination 0.004 Lux@F1.0            *Casing Inner            * Built-in warm lights, max. illumination distance: 30 m.            *Supports max. 256 GB Micro SD card and built-in Mic            *Casing Inner core: metal; cover: plastic ( pedestal: plastic )</p>	
DH-IPC-HDW2431TMP-AS	<p>*4MP, 1/3" CMOS image sensor            * Outputs 4MP (2560 × 1440)@25/30 fps, Max. supports 4MP (2688 × 1520) @ 20 fps            * H.265 codec            * Built-in IR LED, max IR distance: 30 m            * Rotation mode, WDR /            * Supports max. 256 GB Micro SD card,            * built-in Mic/- 12V DC/POE power supply/-            * IP67 protection/Casing Metal + Plastic-            *Min. Illumination 0.008 Lux @ F1.6 starlight</p>	
DH-IPC-HDBW2431EP-S-	<p>*4MP Lite IR Fixed-focal Dome Network Camera-            *4MP, 1/3" CMOS image sensor- Outputs 4MP (2560 × 1440)@25/30 fps, max. supports 4MP (2688 × 1520) @ 20 fps            * H.265 codec, high compression rate, ultra-low bit rate            * wdr 120db            * Built-in IR LED, max IR distance: 30 m-* Supports max. 256 GB Micro SD card            * 12V DC/PoE power supply            * IP67, IK10 protection-            *Lens Type :Fixed-focal-            *Casing: Metal            * Min. Illumination 0.008 Lux @ F1.6 starlight</p>	

<p>DH-IPC-HFW2431SP-S-S</p>	<p>*4MP, 1/3" CMOS image sensor, low illuminance, high image definition ·          * Outputs 4MP (2560 × 1440)@25/30fps, Max. supports 4MP (2688 × 1520)@20 fps ·          * H.265 codec          * ultra-low bit rate ·          * Built-in IR LED, max IR distance: 30 m·          * Supports max. 256 GB Micro SD card          * 12V DC/PoE power support          * IP67 protection grade          * WDR 120 dB          * Lens Type Fixed-focal          * Min. Illumination 0.008 Lux@F1.6 starlight          * Casing: Metal</p>	
<p>DH-IPC-HDW2231TP-AS-s2</p>	<p>2MP Lite IR Fixed-focal Eyeball Network Camera- 2MP, 1/2.8" CMOS image sensor-Outputs max. 2MP (1920 × 1080) @25/30 fps- H.265 codec- Built-in IR LED, max. IR distance: 30 m- Supports max. 256 GB Micro SD card, built-in Mic-12V DC/PoE power supply- IP67 protection- WDR/Min. Illumination 0.002 Lux @F1.6-Lens Type Fixed-focal-Casing Metal + plastic/Protection: IP67</p>	
<p>DH-IPC-HFW2231SP-S-S</p>	<p>*2MP, 1/2.8" CMOS image sensor,-          * Outputs max. 2MP (1920 × 1080) @25/30 fps          * H.265 codec- Built-in IR LED          * max. IR distance: 30 m-          * H.264/H.265, flexible coding          * Supports max. 256 GB Micro SD car          * 12V DC/PoE power supply          * IP67 protection          * Starlight Min. Illumination 0.002 Lux @F1.6          * WDR 120 dB          * Casing: Metal</p>	
<p>DH-IPC-HFW1431SP-S4</p>	<p>* 4Megapixel progressive CMOS ·          * H.265 &amp; H.264 dual-stream encoding · 20fps@4M(2688×1520) &amp;25/30fps@3M(2304×1296)          * WDR(120dB)· 2.8 mm fixed lens (3.6 mm optional)          * Max IR LEDs Length 30m          * IP67          * PoE          * Lens Type Fixed-          * Casing Metal+Plastic</p>	
<p>DH-IPC-HDW1431T1P-S4</p>	<p>*4Megapixel progressive CMOS          * H.265&amp; H.264 dual-stream encoding          * 20fps@4M(2688×1520) &amp;25/30fps@3M(2304×1296)          * WDR(120dB)· Max IR LEDs Length 30m          * IP67,          * PoE          * Lens Type Fixed          * Ingress Protection IP67          * Casing: Metal+Plastic</p>	
<p>DH-IPC-HDW1239T1-LED</p>	<p>* 2MP, 1/2.7" CMOS image sensor, low illuminance, high image definition          * Outputs max. 2MP (1920 × 1080) @25/30 fps-          * H.265 codec, high compression rate, ultra-low bit rate-Built-in LEDs,          * max LED distance: 15 m- ROI, SMART H.264/H.265-          * 12V DC/PoE power support-          * IP67 protection          * Casing Metal + plastic</p>	
<p>DH-IPC-HFW1239S1-LED</p>	<p>* 2MP, 1/2.7" CMOS image sensor          * 2MP (1920 × 1080) @25/30 fps-          * H.265 codec- Built-in LEDs, max LED distance: 15 m-          * 12V DC/PoE power support          * IP67 protection-Lens          * Type :FIXED FOCAL/DWDR          * Casing : Metal + plastic</p>	

<p>DH-IPC-HFW1230SP-S5</p>	<p>*2MP Entry IR Fixed-Focal Bullet Network Camera            * 2MP, 1/2.8" CMOS image sensor,            * Outputs max. 2MP (1920 × 1080) @25/30 fps            * H.265 codec* Built-in efficient IR illuminator, and the max. illumination distance is 30 m            * ROI, SMART H.264+/H.265+, flexible coding,            * Rotation mode, DWDR* 12V DC/PoE power supply            * IP67 protection            *Lens Type:Fixed-focal            *Metal + plastic</p> <p style="text-align: right;"><b>2.026.000</b></p>	
SPEED DOME		
<p>DH-SD5A432XA-HNR</p>	<p>*4MP 32x Starlight IR WizSense Network PTZ Camera-1/2.8"            * 4Megapixel STARVIS™ CMOS-Powerful 32x optical zoom-            * Max. 25/30fps@4M- IR distance up to 150 m-            * Deep-learning-based auto tracking and perimeter protection-            * SMD PLUS- PoE+- IP67, IK10- Face Detection</p> <p style="text-align: right;"><b>27.850.000</b></p>	
<p>SD49225XA-HNR</p>	<p>*2MP 25x Starlight IR WizSense Network PTZ Camera- 1/2.8"            2Megapixel CMOS - Powerful 25x optical zoom - Starlight technology -            * Max. 50/60fps@1080P -            *Perimeter protection - Support PoE+            *IR distance up to 100m -SMD PLUS            *IP66</p> <p style="text-align: right;"><b>14.709.000</b></p>	
NVR		
<p>DHI-NVR5432-4KS2(V2).</p>	<p>· *Smart H.265+/H.265/Smart H.264+/H.264/MJPEG            *-Max 320Mbps Incoming Bandwidth- Up to 12MP Resolution for Preview and Playback            *2HDMI/2VGA simultaneous video output-Internal            *HDD 4 SATA III Ports, Up to 10 TB capacity for each HDD</p> <p style="text-align: right;"><b>16.651.000</b></p>	
<p>DHI-NVR5232-4KS2(V2).</p>	<p>* Smart H.265+/H.265/Smart H.264+/H.264/MJPEG-            * Max 320Mbps Incoming Bandwidth- Up to 12MP Resolution for Preview and Playback            * HDMI/VGA simultaneous video outputInternal            *HDD 2 SATA III Ports            * Up to 10 TB capacity for each HDD</p> <p style="text-align: right;"><b>11.405.000</b></p>	
<p>DHI-NVR4232-4KS2-L</p>	<p>*32ch ip - Smart H.265+            * Max 200 Mbps incoming bandwidth-Up to 8MP resolution for preview and playback-8-channel decoding@1080p (30 fps)-            *AI by Camera: Perimeter protection; SMD Plus; people counting-            *2 SATA III ports, up to 10 TB for a single HDD.</p> <p style="text-align: right;"><b>6.641.000</b></p>	
<p>DHI-NVR4116HS-4KS2/L</p>	<p>* H.264, H.265, Smart H.264+, and Smart H.265+. H.265 auto switch-            *Max. decoding capability: 8 × 1080p@30 fps.            * Supports adaptive decoding-VGA/HDMI simultaneous video output, maximum resolution of HDMI is 4K-            * AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map, and SMD-</p> <p style="text-align: right;"><b>4.364.000</b></p>	
<p>NVR2216-4KS2</p>	<p>* H.265/H.264 codec decoding · Max 80Mbps incoming bandwidth ·            * Up to 8Mp resolution preview&amp;playback · Up to 1ch@8MP/4ch@1080P decoding ·            *HDMI/VGA simultaneous video output--Two-way Talk 1 Channel Input, 1 Channel Output, RCA--Interface            * 1 HDMI, 1 VGA            *Internal HDD 2 SATA III Ports, up to 6TB capacity for each HDD            *HDD Mode Single            *IP Camera Input 16 Channel            *Decoding Capacity 1ch@8MP 30fps, 4ch@1080P 30fps</p> <p style="text-align: right;"><b>4.342.000</b></p>	

<p>DHI-NVR1104HS-S3/H</p>	<p>* 4-ch@1080P(30FPS), self-adaptive decoding capability  * Smart H.265+/Smart H.264+/H.265/H.264-  *VGA/HDMI simultaneous video output, maximum resolution of HDMI is 1080P-HDD  *1 SATA 2.0 port, up to 8 TB for a single HDD. The  *maximum HDD capacity varies with environment  temperature  *USB 1 front USB 2.0 port, 1 rear USB 2.0 port  *HDMI 1  *VGA 1</p> <p style="text-align: right;"><b>1.934.000</b></p>	
<p>DHI-NVR1108HS-S3/H</p>	<p>* New 4.0 user interface  * 4-ch@1080P(30FPS), self-adaptive decoding capability  * Smart H.265+/Smart H.264+/H.265/H.264  *VGA/HDMI simultaneous video output, maximum resolution of HDMI is 1080P-HDD  *1 SATA 2.0 port, up to 8 TB for a single HDD  *The  maximum HDD capacity varies with environment  temperature  USB 1 front USB 2.0 port, 1 rear USB 2.0 port  HDMI 1  VGA 1Decoding Capability  1-ch@8MP(30FPS) or 1-ch@5MP(30FPS) or  2-ch@4MP(30FPS) or 2-ch@3MP(30FPS) or 4-ch@1080P(30FPS)8-ch@720P(30FPS)</p> <p style="text-align: right;"><b>2.385.000</b></p>	